Safety Data Sheet: LOK CEASE 20/20, MM

Supercedes Date 07/22/2010

Issuing Date 04/30/2013

1. PRODUCT AND COMPANY IDENTIFICATION

Product Name LOK CEASE 20/20, MM Recommended use Lubricant Information on Manufacturer CERTIFIED LABS, DIV. OF NCH CORP. BOX 152170 IRVING, TEXAS 75015 Product Code 5913
Chemical nature Petroleum distillates mixture
Emergency Telephone Number

Telephone inquiry 972-579-2477

2. HAZARD IDENTIFICATION

Color White Physical State Grease Odor Oily

Category 2B

Category 1A

Category 2

GHS

Classification

Physical Hazards

None

Health Hazard

Serious Eye Damage/Eye Irritation

Carcinogenicity

Specific target organ systemic toxicity (repeated exposure)

Other hazards

None

Labeling Signal Word DANGER



Hazard Statements

H320 - Causes eye irritation

H373 - May cause damage to organs through prolonged or repeated exposure

H350 - May cause cancer

Precautionary Statements

P202 - Do not handle until all safety precautions have been read and understood

P280 - Wear protective gloves, protective clothing and eye protection.

P270 - Do not eat, drink or smoke when using this product

P264 - Wash face, hands and any exposed skin thoroughly after handling.

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. P337 + P313 - If eye irritation persists, get medical attention.

P501 - Dispose of contents and container in accordance with applicable regulations.

33 % of the mixture consists of ingredient(s) of unknown toxicity

3. COMPOSITION / INFORMATION ON INGREDIENTS

| Component | CAS-No | Weight % |
|--------------------------------------|------------|----------|
| White mineral oil, solvent refined | 8042-47-5 | 40-70 |
| Calcium carbonate | 1317-65-3 | 10-30 |
| Aluminum benzoate fatty acid complex | 82980-54-9 | 7-13 |
| Zinc oxide | 1314-13-2 | 7-13 |
| Crystalline Silica (Quartz) | 14808-60-7 | 0.1-1 |

4. FIRST AID MEASURES

General advice Eye Contact Avoid contact with skin, eyes and clothing. Avoid breathing vapors or mists.

Rinse thoroughly with plenty of water, also under the eyelids. Get medical attention if irritation

develops and persists.

Skin Contact

Wipe up with absorbent material (e.g. cloth, fleece). Wash off with soap and plenty of water. Get medical attention if irritation develops and persists. Wash contaminated clothing before re-use.

Inhalation If inhaled, remove to fresh air. Get medical attention if symptoms occur.

Ingestion Do NOT induce vomiting. Drink 1 or 2 glasses of water. Get medical attention if symptoms occur.

Notes to physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Flash Point Does not flash Method Not applicable

Flammability Limits in Air % No information available. Upper No data available Lower No data available

Suitable Extinguishing Media

Water spray. Carbon dioxide (CO2). Dry chemical. Alcohol-resistant foam. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Specific hazards arising from the chemical

Material can create slippery conditions.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

NFPA Health 1 Flammability 1 Instability 0 **HMIS** Health 1 Flammability 1 Instability 0

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions Use personal protective equipment. Ensure adequate ventilation. Prevent further leakage or spillage

if safe to do so. Material can create slippery conditions.

Environmental Precautions Do not flush into surface water or sanitary sewer system.

Methods for Containment Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth,

diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national

regulations (see section 13).

Methods for Cleaning Up Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust)

Neutralizing Agent Not applicable.

7. HANDLING AND STORAGE

Handling Avoid contact with skin, eyes and clothing. Avoid breathing vapors or mists.

Storage Store in original container. Keep container tightly closed in a dry and well-ventilated place.

0 °F / -18 °C **Storage Temperature** Maximum 120 °F / 49 °C Minimum **Storage Conditions** Indoor Χ Outdoor Heated Refrigerated

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Guidelines

| Component | ACGIH TLV | OSHA PEL | NIOSH |
|--------------------------------------|---|--|--|
| White mineral oil, solvent refined | 5 mg/m ³ | 5 mg/m ³ | IDLH 2500 mg/m ³ |
| | | | STEL 10 mg/m ³ |
| Calcium carbonate | No data available | TWA: 15 mg/m ³ TWA: 5 mg/m ³ | TWA: 10 mg/m ³ TWA: 5 mg/m ³ |
| Aluminum benzoate fatty acid complex | No data available | No data available | No data available |
| Zinc oxide | TWA: 2 mg/m ³ | TWA: 5 mg/m ³ TWA: 15 mg/m ³ | IDLH: 500 mg/m ³ |
| | STEL: 10 mg/m ³ | | Ceiling: 15 mg/m ³ |
| | | | STEL 10 mg/m ³ |
| | | | TWA: 5 mg/m ³ |
| Crystalline Silica (Quartz) | : 0.025 mg/m ³ TWA (respirable | No data available | IDLH: 50 mg/m ³ |
| | fraction) | | TWA: 0.05 mg/m ³ |

Engineering Measures Personal Protective Equipment Ensure adequate ventilation, especially in confined areas.

Eye/Face Protection Skin Protection Respiratory Protection Safety glasses with side-shields.

For prolonged or repeated contact, use protective gloves with appropriate chemical resistance. In case of insufficient ventilation wear suitable respiratory equipment. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

General Hygiene Considerations

Ensure that eyewash stations and safety showers are close to the workstation location. Remove

and wash contaminated clothing before re-use.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State Grease Viscosity Semi-Solid Color White Odor Oily

 Odor Threshold pH
 Not applicable Not applicable
 Appearance Specific Gravity
 Opaque 0.98

 Evaporation Rate VOC Content (%)
 0 (Butyl acetate=1)
 Percent Volatile (Volume) VOC Content (g/L)
 0

<0.01 mmHg @ 70°F **Vapor Pressure** Vapor Density 0 (Air = 1.0)Solubility Negligible n-Octanol/Water Partition No data available Melting Point/Range No data available **Decomposition Temperature** No data available **Boiling Point/Range** No data available Flammability (solid, gas) No data available Flash Point Does not flash Method Not applicable

Autoignition Temperature No information available.

Flammability Limits in Air % No information available. Upper No data available Lower No data available

10. STABILITY AND REACTIVITY

Chemical Stability Stable. Hazardous polymerization does not occur.

Conditions to Avoid None known

Incompatible Products Strong oxidizing agents, Strong acids.

Hazardous Decomposition Products Carbon oxides, Zinc oxide fumes, Fumes of aluminum.

Possibility of Hazardous Reactions

None under normal processing

11. TOXICOLOGICAL INFORMATION

Product Information

The following values are calculated based on chapter 3.1 of the GHS document (Rev. 3, 2009):

Oral LD50 No information available
Dermal LD50 No information available

Inhalation LC50

Gas No information available
Mist No information available
Vapor No information available

Principle Route of Exposure Eye contact, Skin contact.

Primary Routes of Entry Inhalation

Acute Effects

Eyes Causes eye irritation.

Skin May cause skin irritation. Repeated exposure may cause skin dryness or cracking.

Inhalation May cause irritation of respiratory tract.

Ingestion Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

Chronic ToxicityKidney injury may occur. Contains a known or suspected carcinogen.Target Organ EffectsRespiratory system, Eyes, Skin, Kidney, Central nervous system.

Aggravated Medical Conditions Respiratory disorders, Skin disorders, Neurological disorders, Kidney disorders.

Component Information

Acute Toxicity

| Component | LD50 Oral | LD50 Dermal | LC50 Inhalation | Draize Test | Other |
|------------------------------|----------------------|-------------------|-------------------|-------------------|-------------------|
| White mineral oil, solvent | > 5000 mg/kg (Rat) | no data available | no data available | no data available | no data available |
| refined | | | | | |
| Calcium carbonate | no data available | no data available | no data available | no data available | no data available |
| Aluminum benzoate fatty acid | no data available | no data available | no data available | no data available | no data available |
| complex | | | | | |
| Zinc oxide | > 5000 mg/kg (Rat) | no data available | no data available | no data available | no data available |
| Crystalline Silica (Quartz) | = 500 mg/kg (Rat) | no data available | no data available | no data available | no data available |

Chronic Toxicity

| Component | Mutagenicity | Sensitization | Developmental Toxicity | Reproductive Toxicity | Target Organ Effects |
|--------------------------------------|-------------------|-------------------|------------------------|-----------------------|---|
| White mineral oil, solvent refined | no data available | no data available | no data available | no data available | respiratory system |
| Calcium carbonate | no data available | no data available | no data available | no data available | eyes, respiratory system, skin |
| Aluminum benzoate fatty acid complex | no data available | no data available | no data available | no data available | no data available |
| Zinc oxide | no data available | no data available | no data available | no data available | respiratory system, CNS |
| Crystalline Silica (Quartz) | no data available | no data available | no data available | | eyes, respiratory system (in animals: lung cancer), kidneys |

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

| Component | ACGIH | IARC | NTP | OSHA | Other |
|----------------------------|----------------|----------------|----------------|----------------|----------------|
| White mineral oil, solvent | not applicable |
| refined | | | | | |

| Calcium carbonate | not applicable |
|--------------------------------------|----------------|----------------|----------------|----------------|----------------|
| Aluminum benzoate fatty acid complex | not applicable |
| Zinc oxide | not applicable |
| Crystalline Silica (Quartz) | A2 | Group 1 | Known | Х | not applicable |

12. ECOLOGICAL INFORMATION

Product Information

No information available.

Component Information

| Component | Toxicity to Algae | Toxicity to Fish | Microtox | Water Flea | log Pow |
|------------------------------------|-------------------|---------------------------|-------------------|-------------------|---------|
| White mineral oil, solvent refined | no data available | LC50 > 10000 mg/L Lepomis | no data available | no data available | >6 |
| | | macrochirus 96 h | | | |
| Calcium carbonate | no data available | no data available | no data available | no data available | N/A |
| Aluminum benzoate fatty acid | no data available | no data available | no data available | no data available | N/A |
| complex | | | | | |
| Zinc oxide | no data available | no data available | no data available | no data available | N/A |
| Crystalline Silica (Quartz) | no data available | no data available | no data available | no data available | N/A |

Persistence and DegradabilityNo information available.BioaccumulationNo information available.MobilityNo information available.

13. DISPOSAL CONSIDERATIONS

Product Disposal Dispose of in accordance with local regulations.

Container Disposal Empty containers should be taken for local recycling, recovery, or waste disposal.

14. TRANSPORT INFORMATION

DOT Not regulated

TDG Not regulated

ICAO Not regulated

IATA Not regulated

IMDG/IMO Not regulated

15. REGULATORY INFORMATION

Inventories

TSCA Complies DSL Complies

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

| Component | CAS-No | Weight % | SARA 313 - Threshold Values |
|------------|-----------|----------|--------------------------------|
| Zinc oxide | 1314-13-2 | 7-13 | 1.0 |

SARA 311/312 Hazardous Categorization

| Acute Health Hazard | Chronic Health Hazard | Fire Hazard | Sudden Release of | Reactive Hazard |
|---------------------|-----------------------|-------------|-------------------|-----------------|
| | | | Pressure Hazard | |
| Yes | Yes | No | No | No |
| CERCLA | | | | |

| Component | Hazardous Substances RQs | CERCLA EHS RQs |
|--------------------------------------|--------------------------|----------------|
| White mineral oil, solvent refined | Not applicable | Not applicable |
| Calcium carbonate | Not applicable | Not applicable |
| Aluminum benzoate fatty acid complex | Not applicable | Not applicable |
| Zinc oxide | Not applicable | Not applicable |
| Crystalline Silica (Quartz) | Not applicable | Not applicable |

16. OTHER INFORMATION

Prepared By Angela Hutson Supercedes Date 07/22/2010 Issuing Date 04/30/2013

Reason for Revision
Glossary
No information available.
No information available.
No information available.

CERTIFIED LABS, DIV. OF NCH CORP.assumes no responsibility for personal injury or property damage caused by the use, storage, or disposal of the product in a manner not recommended on the product label. Users assume all risks associated with such unrecommended use, storage or disposal of the product. The information provided on this MSDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.